



BEEZAASAN[®]



THINK POWER THINK US

**Manufacturer of Industrial
explosives and accessories**



CORRESPONDENCE OFFICE : Opp to LIC Office, Palace Road, Himmatnagar,
Dist : Sabarkantha, (Gujarat) India - 383001

REGISTERED OFFICE : 5th Floor, 511, Pramukh Tangent Complex, Sargasan Cross Road,
S.G. Highway, Gandhingar, (Gujarat) India - 382421



63596 07705



info@beezaasan.in / tss@beezaasan.in



www.beezaasan.com





TDS CAST BOOSTERS

TECHNICAL DATA SHEET

APPLICATIONS

Dynaex pecastex boosters made from high strength composition which can be used to initiate non cap sensitive charges in bore hole effectively.

TECHNICAL PROPERTIES

Nominal Density (g/cc)	1.55 ± 0.05
Velocity of detonation (m/sec)	7000 ± 500
Water Resistance	Excellent
Oil Resistance	Excellent

SHIPPING INFORMATION

As per IMDG

Class	1
Division	1.1
Group	D
UN no.	0042
Storage Category	I

As per PESO

Class	6
Division	2
Category	ZZ



BEEZAASAN®



SOME OF OUR CLIENTS



www.beezaasan.com



02772-246001 / 240507 / 248139



info@beezaasan.in / sales@beezaasan.in / tss@beezaasan.in